


10⁺ SURFACES

600X
1200MM

Sugar
SERIES






About us

Passero was established to capture and deliver the latest upgrades in the processing and collection of tiles. We manufacture Glazed Vitrified Tiles that have proven to be rich in both aspects - aesthetics and functionality. We deliver an exquisite variety of 10+ surfaces. Among the many, some chief ones to be mentioned are carving, laparto, and sugar finish. Our forte lies in maintaining state-of-the-art technology which results in delivering top-notch quality. We believe in consistency in advancing our processes and output, and envision illuminating your home with brilliance as well as long-lasting tiles. Our vast collection lets a person find their own unique piece. You dream it, We make it!

10⁺ SURFACES

Our collection has a wide variety of styles. Variants let a customer identify their own distinctive style and taste through they want to illuminate their home decor or bring a dark marvelous touch to it. Our products have top-notch quality as special attention is given to processing and finishing through a constant upgrade in technology and innovations.

We aim to bring forward our products to compete at a global standard of lifestyle and home decor. Our perpetual determination and efforts focus on providing the world with something new and creative. Our mission is to break through the ceramic industry through our profound artistic collection.



600x1200mm

The dimension available is 600x1200 mm. This basic yet perfect size can allow various applications. Extreme attention is given to engineering and finishing. A thorough advancement is made in technology management along with a strong value of sustainability.

Our team includes great professionals that understand the organization's values and principles. Our company also aims to provide certain training and guidance to them to enhance their ability and improve their work.

APPLICATION

Our products make your home look extra spacious and grandeur. Our aim is to bring a touch of extravagance and beauty that marvels the audience and onlookers. We have several applications for indoor & outdoor spaces. Our exquisite styles are widely used to adorn the walls & embellish the floor of your household. they give a modern contemporary outlook and a serene vibe. Uplifting your lifestyle, we opt to do the impossible. We are here to amaze you By transforming the ordinary into the extraordinary. Our surfaces can adorn various residential and commercial locations beautifully.



Commercial Building



Hotel, Restoaurant



School, College



Hall & corridor



Mall & Super Market



Religious Place



Residential



Hospital



Airport




Gymnasium



Industry



Spa



Sugar
SERIES

Interactive Guide



Please Click

To view specific tile information in detail, please click on the corresponding tile picture.



Click on the logo

To return to the previous index page, you shall click on the logo.

SUGAR

Sugar Collection is something unique and transforms the whole outlook of your space. It is to adorn your home decor with a texturizing feel that makes you feel enthusiastic. The sugar finish tiles have a grainy touch that is done through a unique manufacturing process. Experience the flawless art of ceramic sugar finish through great craftsmanship and creativity. The tiles are being manufactured under state-of-the-art technology and therefore, have premium quality.

The collection translates the timeless and flawless aura into home decor tiles, imagination into real vision, and brings forward a modern outlook. It stands ideal for the most ambitious design projects. The collection lets you indulge in the essence of decor as sugar finish ensures anti-skidding along with a high-class suave look.

- | | |
|-------------------|-------------------|
| 1 Salta grey | 13 Charcoal Black |
| 2 Salta white | 14 Charcoal Roma |
| 3 Beton coper | 15 Navy Romanian |
| 4 Beton grey | 16 Night Estrada |
| 5 Beton ivory | 17 Peach Aroyo |
| 6 Beton latte | 18 Smoke Normandy |
| 7 Black Elemento | 19 Truffle Alpha |
| 8 Blue Stanley | 20 White Alpha |
| 9 Crystal Ecu | 21 White Pearl |
| 10 Cotton Laurent | |
| 11 Cloud Lincoln | |
| 12 Chalk Amasya | |





9 MM
Thickness



Chemical
Resistant



Impact
Resistant



Weather
Pro




Anti-
bacterial



Easy
Clean



Stain
Resistant



SALTA GREY

Surface : Sugar | Size : 600x1200mm | Random : 4



SALTA WHITE

Surface : Sugar | Size : 600x1200mm | Random : 4



SALTA GREY



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro




Anti-bacterial



Easy Clean




Stain Resistant



BETON COPER

Surface : Sugar | Size : 600x1200mm | Random : 4



BETON GREY

Surface : Sugar | Size : 600x1200mm | Random : 4



BETON COPER



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro





Anti-bacterial



Easy Clean



Stain Resistant



BETON IVORY

Surface : Sugar | Size : 600x1200mm | Random : 4



BETON LATTE

Surface : Sugar | Size : 600x1200mm | Random : 4



BETON IVORY



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro








Anti-bacterial



Easy Clean




Stain Resistant



BLACK ELEMENTO

Surface : Sugar | Size : 600x1200mm | Random : 4



BLUE STANLEY

Surface : Sugar | Size : 600x1200mm | Random : 4



BLUE STANLEY



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro






Anti-bacterial



Easy Clean



Stain Resistant



CRYSTAL ECRU

Surface : Sugar | Size : 600x1200mm | Random : 4



COTTON LAURENT

Surface : Sugar | Size : 600x1200mm | Random : 4



COTTON LAURENT



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro





Anti-bacterial



Easy Clean






Stain Resistant



CLOUD LINCOLN

Surface : Sugar | Size : 600x1200mm | Random : 4



CHALK AMASYA

Surface : Sugar | Size : 600x1200mm | Random : 4



CLOUD LINCOLN



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro






Anti-bacterial



Easy Clean








Stain Resistant



CHARCOAL BLACK

Surface : Sugar | Size : 600x1200mm | Random : 4



CHARCOAL ROMA

Surface : Sugar | Size : 600x1200mm | Random : 4



CHARCOAL BLACK & CHARCOAL ROMA



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro




Anti-bacterial



Easy Clean






Stain Resistant



NAVY ROMANIAN

Surface : Sugar | Size : 600x1200mm | Random : 4



NIGHT ESTRADA

Surface : Sugar | Size : 600x1200mm | Random : 4



NAVY ROMANIAN AND NIGHT ESTRADA



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro





Anti-bacterial



Easy Clean





Stain Resistant



PEACH AROYO

Surface : Sugar | Size : 600x1200mm | Random : 4



SMOKE NORMANDY

Surface : Sugar | Size : 600x1200mm | Random : 6



PEACH AROYO



9 MM Thickness



Chemical Resistant



Impact Resistant



Weather Pro







Anti-bacterial



Easy Clean




Stain Resistant



TRUFFLE ALPHA

Surface : Sugar | Size : 600x1200mm | Random : 4




WHITE ALPHA

Surface : Sugar | Size : 600x1200mm | Random : 6



TRUFFLE ALPHA AND WHITE ALPHA

- 9 MM Thickness
- Chemical Resistant
- Impact Resistant
- Weather Pro
- Anti-bacterial
- Easy Clean
- Stain Resistant



WHITE PEARL

Surface : Sugar | Size : 600x1200mm | Random : 4

Technical Specification

Dimensions & surface Quality

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in thickness	± 5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
Deviation in Straightness of sides	± 0.5%	± 0.4%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Rectangularity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Surface Flatness	± 0.5%	± 0.2%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
Surface Quality & Color (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Glossiness with Nano	Declared by manufacture	-	Above 90	ISO 2813 (Glossy meter)

Physical characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Scratch Hardness of surface Moh's scale	Min. 3	Min. 3	Min. 3	EN-101/IS:13630 (P-13)
Water absorption	≤3%	Min. 3	≤3%	ISO 10545:3/IS: 13630 (P-2)
Moisture Expansion	Nil	-	Nil	ISO 10545:10
Surface Abrasion	Required	Required	PEI 2 – 4	ISO 10545:7/IS:13630 (P-12)

Mechanical characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Breaking strength	1300 N	Min 1300 N	≥ 1800 N	ISO 10545:4/IS: 13630 (P-6)
Modulus of rupture	>35 N/mm ²	Average 35, Individual minimum 32	≥ 35 N/mm ²	ISO 10545:4/IS: 13630 (P-6)

Safety characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Density	2.20 gm/cc	Min 2.20 gm/cc	2.20 gm/cc	DIN 51082/IS: 13630 (P-2)
Skid resistance (Friction coefficient)	≥0.4	-	≥ 0.4	ISO 10545:17

Thermo photo characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
Co efficient of thermal expansion	9×10-6K-1Max	6×10-6K-1Max	<6×10-6K-1 Max	ISO 10545:8/IS:13630 (P-4)
Frost resistance	Resistant	Required	Need to comply with the standard	ISO 10545:12/IS: 13630 (P-10)
Color Resistance to UV light	Resistant	-	Resistant	DIN 51094

Chemical characteristics

Characteristic	Group Bia – ISO 13006/EN-176	Group Bia IS :15622:2017	Value	Test According to
Stain Resistance	Min class-3	Required	Min conform to class-3*	ISO 10545:14
Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

DOMESTIC PACKING DETAILS

Dimensions (mm)	Thickness (mm)	Pieces Per Box	Coverage Area		Box Weight (kg)
			(sqm.)	(sqft.)	
600x1200	9	02	1.44	15.50	29 (Approx)

NOTE :

- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- For better laying, Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.